



DUMPSTODAY

Microsoft

PL-300 Exam

Data Analyst Associate

Questions & Answers

(Demo Version - Limited Content)

Thank you for Downloading PL-300 exam PDF Demo

Get Full File:

<https://dumpstoday.com/pl-300-dumps/>

WWW.DUMPSTODAY.COM

Version: 8.1

Question: 1

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales_amount column and apply a number filter.
- C. Select Column profile, and then select the sales_amount column.
- D. Transform the sales_amount column to replace negative values with 0.

Answer: C

Explanation:

Question: 2

You need to create a calculated column to display the month based on the reporting requirements. Which DAX expression should you use?

- A. `FORMAT('Date'[date], "MMM YYYY")`
- B. `FORMAT('Date' [date], "M YY")`
- C. `FORMAT('Date'[date_id], "MMM") & "" & FORMAT('Date'[year], "#")`
- D. `FORMAT('Date' [date_id], "MMM YYYY")`

Answer: A

Explanation:

Question: 3

You need to create the required relationship for the executive's visual. What should you do before you can create the relationship?

- A. Change the data type of Sales[region_id] to Whole Number.
- B. In the Sales table, add a measure for `sum(sales_amount)`.
- C. Change the data type of sales[sales_id] to Text.
- D. Change the data type of sales [region_id] to Decimal Number.

Answer: A

Explanation:

Scenario: Executives require a visual that shows sales by region.

Need to change the sales_id column from Varchar to Whole Number (Integer).

Question: 4

What should you create to meet the reporting requirements of the sales department?

- A. a measure that uses a formula of SUM (Sales [sales_id])
- B. a calculated column that use a formula of COUNTA(sales [sales_id])
- C. a measure that uses a formula of COUNTROWS (Sales)
- D. a calculated column that uses a formula of SUM (Sales [sales_id])

Answer: C

Explanation:

The sale department requires reports that contain the number of sales transactions.

The COUNTROWS function counts the number of rows in the specified table, or in a table defined by an expression.

Reference:

<https://docs.microsoft.com/en-us/dax/countrows-function-dax>

Question: 5

You need to create a relationship between the Weekly_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly_Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
- B. Add the Weekly_Returns data to the Sales table by using related DAX functions.
- C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly_Return.

Answer: A

Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns.

To relate the two tables we need a common column.

Thank You for trying PL-300 PDF Demo

<https://dumpstoday.com/pl-300-dumps/>

Start Your PL-300 Preparation

[Limited Time Offer] Use Coupon "**SAVE20**" for extra 20% discount the purchase of PDF file. Test your PL-300 preparation with actual exam questions